


RPFL SuperDek® Colorbond® XRW/Ultra
0.42BMT/0.48BMT Roof cladding. Base Materials: Steel
Grade G550. BMT 0.42.Mass 4.3kg/m2 or 0.48BMT
4.9kg/m2. AZ 150 coating for XRW & AZ 200 coating for
Ultra. Profiles tested for Cyclonic Conditions.

Aushmesh 300 Galvanized roof safety mesh
Wire mesh 1.8 X 50m(90m2/roll) Mesh gap
300 X 150mm

Kingspan AIR-CELL INSULINER
Self-Supported 3-in-1 Insulation Vapour
Barrier and Radiant Barrier or 430 WF
Med. duty sisalation.

40mm Galv. Tophead
Channel Fixed with SDM screws

RPFL Std Colorbond® XRW/Ultra 0.55 BMT Flashing
Base Materials: coating AZ200 Steel Grade G300.
fixed to the roof cladding with SDM Screw.



RPFL Colorbond® Gutter Strapping
Base Materials: coating AZ150
Steel Grade G300 BMT 0.55

25mmX1.15mm Thck. Galv. Gutter Bracket

RPFL Square Line Gutter
Base Materials: coating AZ150
Steel Grade G300 BMT 0.55.
Ht 150mm x 75mm dia.

RPFL Colorbond® Gutter Nozzle
Base Materials: coating AZ150
Steel Grade G300 BMT 0.55

RPFL SuperDek®/Corrudek® Colorbond®
XRW/Ultra 0.42BMT/0.48BMT Ceiling cladding.
Base Materials: Steel Grade G550. BMT
0.42.Mass 4.3kg/m2 or 0.48BMT 4.9kg/m2. AZ
150 coating for XRW & AZ 200 coating for Ultra.
Profiles tested for Cyclonic Conditions.

RPFL SuperDek®/Corrudek® Colorbond®
XRW/Ultra 0.42BMT/0.48BMT Wall cladding.
Base Materials: Steel Grade G550. BMT
0.42.Mass 4.3kg/m2 or 0.48BMT 4.9kg/m2. AZ
150 coating for XRW & AZ 200 coating for Ultra.
Profiles tested for Cyclonic Conditions.

Notes:
All installation to be as per New Zealand steel
specification and installation guide. (March 2011)
& New Zealand roof and cladding
CODE OF PRACTICE (Version 2.2/2012)



Roofing & Profiles (Fiji) Pte Ltd
Ph: (679) 6673764 M: 999 9309
Email:info@roofingandprofiles.com.fj

This drawing is the property of Roofing &
Profiles (Fiji) Pte Ltd and must not be copied
or disclosed to any third party without the
written consent of the company.
ALL DIMENSIONS ARE IN mm UNLESS
STATED

PROJECT TITLE:
ROOF DETAILS

DRAWING TITLE:
SHOP DRAWINGS

DRAWN: C.V.B

DATE : 09/12/2020

CHECKED BY:

SCALE: 1:5 @ A4

REVISION No:

APPROVED BY:

SHEET No : SD 1130

REVISION TITLE:

JOB NUMBER: 13 - RAIN