

RPFL Std Colorbond® XRW/Ultra 0.55 BMT Barge Flashing  
 Base Materials: coating AZ200 Steel Grade G300.  
 fixed to the roof cladding with SDM Screw.


RPFL Colorbond® XRW 0.55 BMT Multispan® 905  
 Base Materials: Steel Grade G550. 0.55mm BMT.  
 Mass 6 kg/m2. Coating G550 AZ150 Colorbond®  
 XRW. Minimum Roof Pitch 1 degree. Profiles tested  
 for Cyclonic Conditions.

Barge Board

RPFL SuperDek®/Corrudek Colorbond® XRW/Ultra  
 0.42BMT/0.48BMT Ceiling cladding. Base Materials: Steel  
 Grade G550. BMT 0.42.Mass 4.3kg/m2 or 0.48BMT  
 4.9kg/m2. AZ 150 coating for XRW & AZ 200 coating for  
 Ultra.Profiles tested for Cyclonic Conditions.

RPFL SuperDek®/Corrudek Colorbond® XRW/Ultra  
 0.42BMT/0.48BMT Wall cladding. Base Materials: Steel  
 Grade G550. BMT 0.42.Mass 4.3kg/m2 or 0.48BMT  
 4.9kg/m2. AZ 150 coating for XRW & AZ 200 coating for  
 Ultra.Profiles tested for Cyclonic Conditions.

RPFL Std Colorbond® XRW/Ultra 0.55 BMT Flashing  
 Base Materials: coating AZ200 Steel Grade G300.  
 fixed to the roof cladding with SDM Screw.



Flashguard Soft Edge flashing for metal roof accessories  
 Weather sealing membrane with elastic characteristics  
 compatible with zincalume, aluminium & galvanised steel  
 roof materials.

Kingspan AIR-CELL INSULINER Self-Supported  
 3-in-1 Insulation Vapour Barrier and Radiant Barrier  
 or 430 WF Med. Duty sisalation.

Aushmesh 300 Galvanized roof safety mesh  
 Wire mesh 1.8 X 50m(90m2/roll) Mesh gap  
 300 X 150mm

Notes:  
 All installation to be as per New Zealand steel  
 specification and installation guide. (March 2011)  
 & New Zealand roof and cladding  
 CODE OF PRACTICE ( Version 2.2/2012 )



Roofing & Profiles (Fiji) Pte Ltd  
 Ph: (679) 6673764 M: 999 9309  
 Email: info@roofingandprofiles.com.fj

This drawing is the property of Roofing &  
 Profiles (Fiji) Pte Ltd and must not be copied  
 or disclosed to any third party without the  
 written consent of the company.  
 ALL DIMENSIONS ARE IN mm UNLESS  
 STATED

PROJECT TITLE:  
**ROOF DETAILS**  
  
 DRAWING TITLE:  
**SHOP DRAWINGS**

DRAWN: C.V.B	SCALE: 1:5 @ A4	SHEET No : SD 1140
DATE : 09/12/2020	REVISION No:	REVISION TITLE:
CHECKED BY:	APPROVED BY:	JOB NUMBER: 13 - RAIN